

L Number	Hits	Search Text	DB	Time stamp
1	1375832	packet\$1 or cell\$1 or frame\$1	USPAT; US-PGPUB; EPO; IBM_TDB	2004/01/30 07:48
2	3573225	count\$3 or increment\$3 or tabulat\$3 or sum\$4 or total\$3 or number\$3	USPAT; US-PGPUB; EPO; IBM_TDB	2004/01/30 07:49
3	186874	(packet\$1 or cell\$1 or frame\$1) near3 (count\$3 or increment\$3 or tabulat\$3 or sum\$4 or total\$3 or number\$3)	USPAT; US-PGPUB; EPO; IBM_TDB	2004/01/30 07:51
4	16225	((packet\$1 or cell\$1 or frame\$1) near3 (count\$3 or increment\$3 or tabulat\$3 or sum\$4 or total\$3 or number\$3)) and (ip or "internet protocol")	USPAT; US-PGPUB; EPO; IBM_TDB	2004/01/30 07:51
5	2830	((packet\$1 or cell\$1 or frame\$1) near3 (count\$3 or increment\$3 or tabulat\$3 or sum\$4 or total\$3 or number\$3)) same (ip or "internet protocol")	USPAT; US-PGPUB; EPO; IBM_TDB	2004/01/30 07:51
6	357	((packet\$1 or cell\$1 or frame\$1) near3 (count\$3 or increment\$3 or tabulat\$3 or sum\$4 or total\$3 or number\$3)) and (denial near2 service)	USPAT; US-PGPUB; EPO; IBM_TDB	2004/01/30 07:52
7	318	((packet\$1 or cell\$1 or frame\$1) near3 (count\$3 or increment\$3 or tabulat\$3 or sum\$4 or total\$3 or number\$3)) and (denial near2 service)) and (ip or "internet protocol")	USPAT; US-PGPUB; EPO; IBM_TDB	2004/01/30 07:52
8	74	((packet\$1 or cell\$1 or frame\$1) near3 (count\$3 or increment\$3 or tabulat\$3 or sum\$4 or total\$3 or number\$3)) and (denial near2 service)) and (ip or "internet protocol")) and @rlad<20001101	USPAT; US-PGPUB; EPO; IBM_TDB	2004/01/30 08:53
10	793	packet\$ same count\$3 same ip	USPAT; US-PGPUB; EPO; IBM_TDB	2004/01/30 09:42
11	426	(packet\$ same count\$3 same ip) and 370.clas.	USPAT; US-PGPUB; EPO; IBM_TDB	2004/01/30 09:36
12	211	(packet\$ same count\$3 same ip) and @rlad<20001101	USPAT; US-PGPUB; EPO; IBM_TDB	2004/01/30 10:09
13	107	((packet\$ same count\$3 same ip) and @rlad<20001101) and 370.clas.	USPAT; US-PGPUB; EPO; IBM_TDB	2004/01/30 09:36
14	478	(packet\$ with count\$3) same ip	USPAT; US-PGPUB; EPO; IBM_TDB	2004/01/30 10:09
15	117	((packet\$ with count\$3) same ip) and @rlad<20001101	USPAT; US-PGPUB; EPO; IBM_TDB	2004/01/30 10:09
16	57	((packet\$ with count\$3) same ip) and @rlad<20001101) and 370.clas.	USPAT; US-PGPUB; EPO; IBM_TDB	2004/01/30 10:41

17	0	(((((packet\$ with count\$3) same ip) and @rlad<20001101) and 370.clas.) not (((packet\$ with count\$3) same ip) and @rlad<20001101)	USPAT; US-PGPUB; EPO; IBM_TDB	2004/01/30 10:41
18	0	(((((packet\$ with count\$3) same ip) and @rlad<20001101) and 370.clas.) not (((packet\$ with count\$3) same ip) and @rlad<20001101)	USPAT; US-PGPUB; EPO; IBM_TDB	2004/01/30 10:42
19	60	(((((packet\$ with count\$3) same ip) and @rlad<20001101) not (((packet\$ with count\$3) same ip) and @rlad<20001101) and 370.clas.)	USPAT; US-PGPUB; EPO; IBM_TDB	2004/01/30 10:42
-	1076454	discard\$3 or delet\$3 or drop\$4 or reject\$3	USPAT; US-PGPUB; EPO; IBM_TDB	2004/01/29 08:17
-	82130	ip or "internet protocol"	USPAT; US-PGPUB; EPO; IBM_TDB	2004/01/29 08:17
-	3573225	count\$3 or increment\$3 or tabulat\$3 or sum\$4 or total\$3 or number\$3	USPAT; US-PGPUB; EPO; IBM_TDB	2004/01/30 07:48
-	1375832	packet\$1 or cell\$1 or frame\$1	USPAT; US-PGPUB; EPO; IBM_TDB	2004/01/30 07:47
-	410026	address	USPAT; US-PGPUB; EPO; IBM_TDB	2004/01/29 08:19
-	32730	address\$2 near3 (source\$1 or destination\$1)	USPAT; US-PGPUB; EPO; IBM_TDB	2004/01/29 08:20
-	478256	address\$2	USPAT; US-PGPUB; EPO; IBM_TDB	2004/01/29 08:20
-	459641	(count\$3 or increment\$3 or tabulat\$3 or sum\$4 or total\$3 or number\$3) same (packet\$1 or cell\$1 or frame\$1)	USPAT; US-PGPUB; EPO; IBM_TDB	2004/01/29 08:26
-	36559	(discard\$3 or delet\$3 or drop\$4 or reject\$3) same (count\$3 or increment\$3 or tabulat\$3 or sum\$4 or total\$3 or number\$3) same (packet\$1 or cell\$1 or frame\$1)	USPAT; US-PGPUB; EPO; IBM_TDB	2004/01/29 08:28
-	664	(discard\$3 or delet\$3 or drop\$4 or reject\$3) same (count\$3 or increment\$3 or tabulat\$3 or sum\$4 or total\$3 or number\$3) same (packet\$1 or cell\$1 or frame\$1) same (address\$2 near3 (source\$1 or destination\$1))	USPAT; US-PGPUB; EPO; IBM_TDB	2004/01/29 08:29
-	446	((discard\$3 or delet\$3 or drop\$4 or reject\$3) same (count\$3 or increment\$3 or tabulat\$3 or sum\$4 or total\$3 or number\$3) same (packet\$1 or cell\$1 or frame\$1) same (address\$2 near3 (source\$1 or destination\$1))) and (ip or "internet protocol")	USPAT; US-PGPUB; EPO; IBM_TDB	2004/01/29 08:51
-	751	(370/230).CCLS.	USPAT; US-PGPUB; EPO; IBM_TDB	2004/01/29 08:51
-	458	(370/232).CCLS.	USPAT; US-PGPUB; EPO; IBM_TDB	2004/01/29 08:51

-	805	(370/235).CCLS.	USPAT; US-PGPUB; EPO; IBM_TDB	2004/01/29 08:52
-	609	(370/229).CCLS.	USPAT; US-PGPUB; EPO; IBM_TDB	2004/01/29 08:52
-	1775	(370/389).CCLS.	USPAT; US-PGPUB; EPO; IBM_TDB	2004/01/29 08:52
-	1336	(370/392).CCLS.	USPAT; US-PGPUB; EPO; IBM_TDB	2004/01/29 08:57
-	2256	((370/230).CCLS.) or ((370/232).CCLS.) or ((370/235).CCLS.) or ((370/229).CCLS.)	USPAT; US-PGPUB; EPO; IBM_TDB	2004/01/29 08:57
-	50	((((370/230).CCLS.) or ((370/232).CCLS.) or ((370/235).CCLS.) or ((370/229).CCLS.)) and ((discard\$3 or delet\$3 or drop\$4 or reject\$3) with (address\$2 near3 (source\$1 or destination\$1))))	USPAT; US-PGPUB; EPO; IBM_TDB	2004/01/29 09:21
-	15	(((((370/230).CCLS.) or ((370/232).CCLS.) or ((370/235).CCLS.) or ((370/229).CCLS.)) and ((discard\$3 or delet\$3 or drop\$4 or reject\$3) with (address\$2 near3 (source\$1 or destination\$1)))) and @rlad<20001101	USPAT; US-PGPUB; EPO; IBM_TDB	2004/01/29 09:22
-	27	((((370/230).CCLS.) or ((370/232).CCLS.) or ((370/235).CCLS.) or ((370/229).CCLS.)) and ((discard\$3 or delet\$3 or drop\$4 or reject\$3) same (address\$2 near3 (source\$1 or destination\$1)))) and @rlad<20001101	USPAT; US-PGPUB; EPO; IBM_TDB	2004/01/29 09:14
-	12	(((((370/230).CCLS.) or ((370/232).CCLS.) or ((370/235).CCLS.) or ((370/229).CCLS.)) and ((discard\$3 or delet\$3 or drop\$4 or reject\$3) same (address\$2 near3 (source\$1 or destination\$1)))) and @rlad<20001101) not ((((((370/230).CCLS.) or ((370/232).CCLS.) or ((370/235).CCLS.) or ((370/229).CCLS.)) and ((discard\$3 or delet\$3 or drop\$4 or reject\$3) with (address\$2 near3 (source\$1 or destination\$1)))) and @rlad<20001101)	USPAT; US-PGPUB; EPO; IBM_TDB	2004/01/29 09:21
-	2971	((370/389).CCLS.) or ((370/392).CCLS.)	USPAT; US-PGPUB; EPO; IBM_TDB	2004/01/29 09:21
-	164	((((370/389).CCLS.) or ((370/392).CCLS.)) and ((discard\$3 or delet\$3 or drop\$4 or reject\$3) with (address\$2 near3 (source\$1 or destination\$1))))	USPAT; US-PGPUB; EPO; IBM_TDB	2004/01/29 09:21
-	48	(((((370/389).CCLS.) or ((370/392).CCLS.)) and ((discard\$3 or delet\$3 or drop\$4 or reject\$3) with (address\$2 near3 (source\$1 or destination\$1)))) and @rlad<20001101	USPAT; US-PGPUB; EPO; IBM_TDB	2004/01/29 10:50
-	47	((((((370/389).CCLS.) or ((370/392).CCLS.)) and ((discard\$3 or delet\$3 or drop\$4 or reject\$3) with (address\$2 near3 (source\$1 or destination\$1)))) and @rlad<20001101) not ((((((370/230).CCLS.) or ((370/232).CCLS.) or ((370/235).CCLS.) or ((370/229).CCLS.)) and ((discard\$3 or delet\$3 or drop\$4 or reject\$3) same (address\$2 near3 (source\$1 or destination\$1)))) and @rlad<20001101) not ((((((370/230).CCLS.) or ((370/232).CCLS.) or ((370/235).CCLS.) or ((370/229).CCLS.)) and ((discard\$3 or delet\$3 or drop\$4 or reject\$3) with (address\$2 near3 (source\$1 or destination\$1)))) and @rlad<20001101) or ((((((370/230).CCLS.) or ((370/232).CCLS.) or ((370/235).CCLS.) or ((370/229).CCLS.)) and ((discard\$3 or delet\$3 or drop\$4 or reject\$3) with (address\$2 near3 (source\$1 or destination\$1)))) and @rlad<20001101))	USPAT; US-PGPUB; EPO; IBM_TDB	2004/01/29 10:39

-	26	5842224.URPN.	USPAT	2004/01/29 10:12
-	50	5438568.URPN.	USPAT	2004/01/29 10:19
-	2549041	threshold\$ or limit\$1 or max or maximum\$1 or level\$1	USPAT; US-PGPUB; EPO; IBM_TDB	2004/01/29 10:40
-	133599	(discard\$3 or delet\$3 or drop\$4 or reject\$3) with (threshold\$ or limit\$1 or max or maximum\$1 or level\$1)	USPAT; US-PGPUB; EPO; IBM_TDB	2004/01/29 10:41
-	5983	((discard\$3 or delet\$3 or drop\$4 or reject\$3) with (threshold\$ or limit\$1 or max or maximum\$1 or level\$1)) and (ip or "internet protocol")	USPAT; US-PGPUB; EPO; IBM_TDB	2004/01/29 10:41
-	8742	(count\$3 or increment\$3 or tabulat\$3 or sum\$4 or total\$3 or number\$3) with (address\$2 near3 (source\$1 or destination\$1))	USPAT; US-PGPUB; EPO; IBM_TDB	2004/01/29 10:42
-	545	((((discard\$3 or delet\$3 or drop\$4 or reject\$3) with (threshold\$ or limit\$1 or max or maximum\$1 or level\$1)) and (ip or "internet protocol")) and ((count\$3 or increment\$3 or tabulat\$3 or sum\$4 or total\$3 or number\$3) with (address\$2 near3 (source\$1 or destination\$1))))	USPAT; US-PGPUB; EPO; IBM_TDB	2004/01/29 10:42
-	367	(((((discard\$3 or delet\$3 or drop\$4 or reject\$3) with (threshold\$ or limit\$1 or max or maximum\$1 or level\$1)) and (ip or "internet protocol")) and ((count\$3 or increment\$3 or tabulat\$3 or sum\$4 or total\$3 or number\$3) with (address\$2 near3 (source\$1 or destination\$1)))) and ((count\$3 or increment\$3 or tabulat\$3 or sum\$4 or total\$3 or number\$3) near6 (address\$2 near3 (source\$1 or destination\$1))))	USPAT; US-PGPUB; EPO; IBM_TDB	2004/01/29 10:44
-	446	(((((discard\$3 or delet\$3 or drop\$4 or reject\$3) with (threshold\$ or limit\$1 or max or maximum\$1 or level\$1)) and (ip or "internet protocol")) and (((count\$3 or increment\$3 or tabulat\$3 or sum\$4 or total\$3 or number\$3) near6 address) with (packet\$1 or cell\$1 or frame\$1)))	USPAT; US-PGPUB; EPO; IBM_TDB	2004/01/29 10:47
-	150	(((((discard\$3 or delet\$3 or drop\$4 or reject\$3) with (threshold\$ or limit\$1 or max or maximum\$1 or level\$1)) and (ip or "internet protocol")) and (((count\$3 or increment\$3 or tabulat\$3 or sum\$4 or total\$3 or number\$3) near6 (address\$2 near3 (source\$1 or destination\$1)))) with (packet\$1 or cell\$1 or frame\$1)))	USPAT; US-PGPUB; EPO; IBM_TDB	2004/01/29 10:48
-	40	(((((discard\$3 or delet\$3 or drop\$4 or reject\$3) with (threshold\$ or limit\$1 or max or maximum\$1 or level\$1)) and (ip or "internet protocol")) and (((count\$3 or increment\$3 or tabulat\$3 or sum\$4 or total\$3 or number\$3) near6 (address\$2 near3 (source\$1 or destination\$1)))) with (packet\$1 or cell\$1 or frame\$1))) and @rlad<20001101	USPAT; US-PGPUB; EPO; IBM_TDB	2004/01/29 11:15
-	0	20020143935.URPN.	USPAT	2004/01/29 10:58
-	105	((((discard\$3 or delet\$3 or drop\$4 or reject\$3) same (count\$3 or increment\$3 or tabulat\$3 or sum\$4 or total\$3 or number\$3) same (packet\$1 or cell\$1 or frame\$1) same (address\$2 near3 (source\$1 or destination\$1)))) and (ip or "internet protocol")) and @rlad<20001101	USPAT; US-PGPUB; EPO; IBM_TDB	2004/01/29 11:15

-	78	(((((discard\$3 or delet\$3 or drop\$4 or reject\$3) same (count\$3 or increment\$3 or tabulat\$3 or sum\$4 or total\$3 or number\$3) same (packet\$1 or cell\$1 or frame\$1) same (address\$2 near3 (source\$1 or destination\$1)))) and (ip or "internet protocol")) and @rlad<20001101) not ((((((370/230).CCLS.) or ((370/232).CCLS.) or ((370/235).CCLS.) or ((370/229).CCLS.)) and ((discard\$3 or delet\$3 or drop\$4 or reject\$3) with (address\$2 near3 (source\$1 or destination\$1)))) and @rlad<20001101) ((((((370/230).CCLS.) or ((370/232).CCLS.) or ((370/235).CCLS.) or ((370/229).CCLS.)) and ((discard\$3 or delet\$3 or drop\$4 or reject\$3) same (address\$2 near3 (source\$1 or destination\$1)))) and @rlad<20001101) not ((((((370/230).CCLS.) or ((370/232).CCLS.) or ((370/235).CCLS.) or ((370/229).CCLS.)) and ((discard\$3 or delet\$3 or drop\$4 or reject\$3) with (address\$2 near3 (source\$1 or destination\$1)))) and @rlad<20001101) ((((((370/389).CCLS.) or ((370/392).CCLS.)) and ((discard\$3 or delet\$3 or drop\$4 or reject\$3) with (address\$2 near3 (source\$1 or destination\$1)))) and @rlad<20001101) ((((((discard\$3 or delet\$3 or drop\$4 or reject\$3) with (threshold\$ or limit\$1 or max or maximum\$1 or level\$1) and (ip or "internet protocol")) and (((count\$3 or increment\$3 or tabulat\$3 or sum\$4 or total\$3 or number\$3) near6 (address\$2 near3 (source\$1 or destination\$1)))) with (packet\$1 or cell\$1 or frame\$1)))) and @rlad<20001101))	USPAT; US-PGPUB; EPO; IBM_TDB	2004/01/29 11:16
-	16	("5140584" "5282203" "5414650" "5463620" "5530695" "5574720" "5604867" "5636345" "5703870" "5710770" "5726987" "5742606" "5761191" "5764645" "6134218" "6185185").PN.	USPAT	2004/01/29 12:52
-	0	6587471.URPN.	USPAT	2004/01/29 13:19
-	48719	(denial near2 service) or dos	USPAT; US-PGPUB; EPO; IBM_TDB	2004/01/29 14:04
-	1309	denial near2 service	USPAT; US-PGPUB; EPO; IBM_TDB	2004/01/29 14:04
-	176	(denial near2 service) and 370.clas.	USPAT; US-PGPUB; EPO; IBM_TDB	2004/01/29 14:05
-	31	((denial near2 service) and 370.clas.) and @rlad<20001101	USPAT; US-PGPUB; EPO; IBM_TDB	2004/01/29 14:21
-	5952	sourc\$ near2 rout\$	USPAT; US-PGPUB; EPO; IBM_TDB	2004/01/29 14:21
-	1763	(sourc\$ near2 rout\$) and 370.clas.	USPAT; US-PGPUB; EPO; IBM_TDB	2004/01/29 14:22
-	679	((sourc\$ near2 rout\$) and 370.clas.) and (discard\$3 or delet\$3 or drop\$4 or reject\$3) and (ip or "internet protocol") and (count\$3 or increment\$3 or tabulat\$3 or sum\$4 or total\$3 or number\$3) and (packet\$1 or cell\$1 or frame\$1) and (threshold\$ or limit\$1 or max or maximum\$1 or level\$1)	USPAT; US-PGPUB; EPO; IBM_TDB	2004/01/29 14:24
-	97	((sourc\$ near2 rout\$) and 370.clas.) and (ip or "internet protocol") and ((discard\$3 or delet\$3 or drop\$4 or reject\$3) same (count\$3 or increment\$3 or tabulat\$3 or sum\$4 or total\$3 or number\$3) same (packet\$1 or cell\$1 or frame\$1) same (threshold\$ or limit\$1 or max or maximum\$1 or level\$1))	USPAT; US-PGPUB; EPO; IBM_TDB	2004/01/29 14:25

-	29	((source\$ near2 route\$) and 370.class.) and (ip or "internet protocol") and ((discard\$3 or delete\$3 or drop\$4 or reject\$3) same (count\$3 or increment\$3 or tabulate\$3 or sum\$4 or total\$3 or number\$3) same (packet\$1 or cell\$1 or frame\$1) same (threshold\$ or limit\$1 or max or maximum\$1 or level\$1))) and @rld<20001101	USPAT; US-PGPUB; EPO; IBM_TDB	2004/01/29 14:55
-	242	((370/232).CCLS.) and address	USPAT; US-PGPUB; EPO; IBM_TDB	2004/01/29 14:55
-	260	((370/232).CCLS.) and address\$2	USPAT; US-PGPUB; EPO; IBM_TDB	2004/01/29 14:55
-	47	((((370/232).CCLS.) and address\$2) and @rld<20001101	USPAT; US-PGPUB; EPO; IBM_TDB	2004/01/29 15:03
-	87	ESLAMBOLCHI-HOSSEIN.in.	USPAT; US-PGPUB; EPO; IBM_TDB	2004/01/29 15:03
-	572	((370/230).CCLS.) and ((count\$3 or increment\$3 or tabulate\$3 or sum\$4 or total\$3 or number\$3) with (packet\$1 or cell\$1 or frame\$1))	USPAT; US-PGPUB; EPO; IBM_TDB	2004/01/29 15:40
-	425	((((370/230).CCLS.) and ((count\$3 or increment\$3 or tabulate\$3 or sum\$4 or total\$3 or number\$3) with (packet\$1 or cell\$1 or frame\$1))) and (discard\$3 or delete\$3 or drop\$4 or reject\$3))	USPAT; US-PGPUB; EPO; IBM_TDB	2004/01/29 15:40
-	169	((((370/230).CCLS.) and ((count\$3 or increment\$3 or tabulate\$3 or sum\$4 or total\$3 or number\$3) with (packet\$1 or cell\$1 or frame\$1))) and (address\$2 near3 (source\$1 or destination\$1)))	USPAT; US-PGPUB; EPO; IBM_TDB	2004/01/29 15:41
-	26	(((((370/230).CCLS.) and ((count\$3 or increment\$3 or tabulate\$3 or sum\$4 or total\$3 or number\$3) with (packet\$1 or cell\$1 or frame\$1))) and (address\$2 near3 (source\$1 or destination\$1))) and @rld<20001101	USPAT; US-PGPUB; EPO; IBM_TDB	2004/01/29 15:41
-	68	(((((370/230).CCLS.) and ((count\$3 or increment\$3 or tabulate\$3 or sum\$4 or total\$3 or number\$3) with (packet\$1 or cell\$1 or frame\$1))) and (discard\$3 or delete\$3 or drop\$4 or reject\$3)) and @rld<20001101	USPAT; US-PGPUB; EPO; IBM_TDB	2004/01/29 15:41
-	72	((((((370/230).CCLS.) and ((count\$3 or increment\$3 or tabulate\$3 or sum\$4 or total\$3 or number\$3) with (packet\$1 or cell\$1 or frame\$1))) and (address\$2 near3 (source\$1 or destination\$1))) and @rld<20001101) or (((((370/230).CCLS.) and ((count\$3 or increment\$3 or tabulate\$3 or sum\$4 or total\$3 or number\$3) with (packet\$1 or cell\$1 or frame\$1))) and (discard\$3 or delete\$3 or drop\$4 or reject\$3)) and @rld<20001101)	USPAT; US-PGPUB; EPO; IBM_TDB	2004/01/29 15:41